

MATERIAL SAFETY DATA SHEET

XTREME GLOSS

Hazard Rating:
4- Extreme
3- High
2- Moderate
1- Slight
0- Insignificant

Fire	0
Health	3
Reactivity	0
Special Hazard	0

SECTION I- PRODUCT INFORMATION

MANUFACTURER:	SEMCO Benelux	ADDRESS:	Ubroekweg 25, 5928 NM Venlo, Nederland
PRODUCT NAME:	XPOXY 1000	RESPONSIBLE FOR PREPARATION:	Samel Sem
CHEMICAL FAMILY:	Epoxy Resin	DATE PREPARED:	10/10/07
CHEMICAL NAME:	Sealer & Topcoat	EMERGENCY PHONE NO.	+31(0)85 020 35 60

SECTION II-- CHEMICAL IDENTITY INFORMATION

Proprietary mixture containing: 2-Propoxyethanol	CAS# 2807-30-9	9	PEL & TLV: Not established
---	----------------	---	----------------------------

SECTION III-- PHYSICAL & CHEMICAL CHARACTERISTICS (Fire & Explosion)

Appearance & Odor:	White, Sweet Odor	Specific Gravity:	1.070
Solubility in water:	Complete	Solid Content:	98%
Weight:	12.5 lb./gal.	Boiling Point:	N/A
Flammability:	None flammable Liquid	Extinguishing Media:	Water spray, Carbon dioxide, foam, & dry chemical.
Unusual Fire or Explosion Hazard:	N/A	Flash Point:	114°F (46°C) PMCC
Special Fire Fighting Procedures: Cool exposed containers with water spray. Self-contained breathing apparatus in confined areas.			

SECTION IV -- SPECIAL PROTECTION INFORMATION

Protective Gloves:	Rubber or plastic gloves.
Eye Protection:	Chemical splash goggles or face shield.
Respiratory Protection :	NIOSH/MSHA approved respirator if necessary. Follow manufacturer's recommendations.
Local Exhaust:	Local exhaust ventilation recommended.
Other Equipment:	Standard work clothing and work shoes.

SECTION V--SPECIAL SPILL OR LEAK PROCEDURES

Stop leaks. Clean up spill immediately. Soak up with absorbent material and place in labeled waste container for disposal. Do not use vacuum truck. Avoid sources of ignition. Provide adequate ventilation to spill area. Wear adequate personal protective clothing and equipment. Flush area with water. Place the remainder in non-leak container. Floor may be slippery, use caution. Dispose off in accordance with city-state, and federal regulations.

SECTION VI--EMERGENCY AND FIRST AID PROCEDURES

Inhalation:	Remove to fresh air.
Eye Contact:	Flush eye socket with fresh, cool, running water for at least 15 minutes. If irritation persists, seek medical assistance at once.
Skin Contact:	Remove contaminated clothing. Wash affected skin areas thoroughly with soap and water. See a physician.
Ingestion:	If swallowed, give lots of water to drink. DO NOT induce vomiting. IMMEDIATELY see a physician.

SECTION VII-- REACTIVITY DATA

Incompatible Materials:	Strong oxidizing agents.
Stability:	Stable.
Hazardous Polymerization:	Product will not undergo polymerization.
Hazardous Decomposition:	Carbon dioxide, carbon monoxide and oxides of nitrogen.
Conditions to Avoid:	Avoid sources of ignition such as open flames, sparks or hot surfaces.

SECTION VIII-- SPECIAL INFORMATION

This product contains 9% of substances described by EPA as Glycol Ethers subject to the reporting requirements of SARA Title III, Section 13 (40 CFR part 372). SARA Section 311/312: Acute and Chronic Health Hazard and Fire Hazard.
Keep out of reach of children. Keep container closed when not in use.

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations. All chemicals may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards, which exist. Users of any chemical should satisfy themselves that the conditions and methods of use assure that the chemical is used safely.